

# CTB ADHESIVE PRODUCT INFORMATION

## GENERAL DESCRIPTION

For gluing of 22 mm chipboards to Junckers sports battens.

**Package size:** Tubular bags of 600 ml / 936 g.

**Density:** Approx. 1.56 kg/litre.

**Colour:** Zinc grey.

**Texture:** Thixotropic mass, easily workable.

**Solid content:** 100 %.

## TECHNICAL DATA

**Basis:** Silane Modified Polymer (SMP).

**Solvents:** None.

**Consumption:** Approx. 60 g per linear metre (sufficient for approx. 16-17 linear metres).

**Drying time:** Full strength after 1-2 days.

**Open time:** Wet glueing: 0-40 minutes.

**Adhesive application temperature:** Best at 18-22 °C.

**Shelf life:** Minimum 1 year in unopened packaging when stored in a cool and dry environment. Not to be exposed to temperatures below 0 °C.

## DIRECTIONS FOR USE

- Apply adhesive evenly in lines on top of the battens.
- The adhesive lines must be a bit shorter than the width of the chipboard. This to avoid adhesive in board joints.
- Do **not** use the adhesive if the temperature in the room or the adhesive is below 15 °C.
- If the adhesive has been stored cold, warm up the product before use.

## PRECAUTIONARY MEASURES

Before using the product, read the label on the container carefully and observe the recommended precautionary measures. See Material Safety Data Sheet for detailed information.